



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 09/490,263      | 01/24/2000  | Jing Wang            |                     | 6937             |

7590 02/24/2004  
KLEIN O'NEILL & SINGH  
2 PARK PLAZA  
SUITE 510  
IRVINE, CA 92614

EXAMINER

HUYNH, KIM T

| ART UNIT | PAPER NUMBER |
|----------|--------------|
|----------|--------------|

2112

DATE MAILED: 02/24/2004

12

Please find below and/or attached an Office communication concerning this application or proceeding.

SL

**Office Action Summary**

Application No.

09/490,263

Applicant(s)

WANG ET AL. 

Examiner

Kim T. Huynh

Art Unit

2112

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 15 December 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-11, 14-17, 19-25, 27-33, 35-42, 44-53 and 55-59 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-11, 14-17, 19-25, 27-33, 35-42, 44-53 and 55-59 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 January 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-10, 14-17, 19-25, 27-32, 38-42, 46-53, 55-58 are rejected under 35 U.S.C. 102(e) as being anticipated by Larky et al. (US Patent 6,389,495)

As per claim 1, Larky discloses USB host system operationally coupled to a computing system with a main processor, comprising:

- a first processor (fig.1, 126) that implements a USB driver without using the main processor (fig.1, 116) resources; (col.4, lines 26-44)
- a downstream USB port; (fig.1, 106)
- a communication area directly accessible by both by the main processor and by the first processor such that the first processor interfaces with the main processor via the communication area using predefined records in pre-defined formats, (col.7, lines 21-67)
- wherein the main processor writes a data transfer request in the communication area in a pre-defined record format and the first processor

schedules and completes the request via a USB host controller. (col.4, lines 1-44)

As per claim 2, Larky discloses wherein the communication area is a dual port memory. (col.8, lines 51-64)

As per claim 3, Larky discloses wherein the communication area consists of multiple FIFO registers. (col.9, lines 58-61)

As per claim 4, Larky discloses wherein an interrupt polled from a USB interrupt pipe is converted to an interrupt signal to the main processor. (col.9, lines 26-48, wherein decode implies converting)

e. As per claim 5, Larky discloses wherein the processor interfaces with the host system via a standard microprocessor bus. (fig.1, 106)

As per claim 11, Larky discloses a USB host system operationally coupled to a computing system, comprising:

- a first processor (fig. 1, 126) that implements a USB driver without using the main processor (fig.1, 116) resources; (col.2, lines 45-59)
- a downstream USB port; and (fig.1, 106)
- an interface between the first processor and second processor that provides a high-level USB pipe view of a USB system to an application program running on the second processor in the computing system. (col.7, lines 21-37)
- wherein the interface comprises a memory (fig.1, 122) that is directly accessed by both the first and second processors, (col.7, lines 34-53) and

- wherein the second processor interfaces with the host system via a standard microprocessor bus. (fig.1, 106)

As per claim 6, 14, Larky discloses wherein a hub is used to provide multiple downstream USB ports. (fig.1, 130), (col.5, lines 16-26)

As per claim 7, Larky discloses wherein data in the communication area is directly sent out on a USB bus. (fig.3, 300, col.7, lines 21-33)

As per claim 8, Larky discloses wherein data received from the USB bus are written directly in the communication area. (col.7, lines 1-67)

As per claim 9, Larky discloses wherein the USB host system provides a USB function to the main processor. (col.4, lines 1-14)

As per claim 10, Larky discloses wherein the second processor runs an operating system supporting USB, and the USB host system provides a USB host function to the second processor by intercepting calls to a USB driver in the operating system. (col.6, lines 5-35), (col.7, lines 21-53)

As per claim 15, Larky discloses wherein the host system is used to provide a USB host function to the second processor. (col.7, lines 21-53)

As per claim 16, Larky discloses

- wherein the second processor runs an operating system supporting a USB, (col.6, lines 17-25)
- wherein the host system provides a USB host function to the second processor, including a USB function, and (col.6, lines 5-53)

- wherein the host system processes a USB transfer request by the second processor by intercepting calls to the USB D in the operating system and passing the calls to the USB D in the host system. (col.7, lines 21-52), (col.6, lines 5-35)

As per claim 17, Larky discloses an information processing system comprising:

- a first processor; (fig.1, 126)
- a data transfer host system comprising a second processor implementing a first data transfer driver managing a data transfer between the first processor and a device; (col.7, lines 21-53)
- a data transfer port for connecting the device to the data host system; (fig.1, 130) I/O hub implies connection port)
- an interface between the host system and the first processor that provides a high-level view of the data transfer process to the first processor, (col.7, lines 21-37)
- wherein the interface comprises an area in a memory (fig.1, 122) that is directly accessible by both the first processor and the second processor. (col.7, lines 34-53)

As per claim 19, Larky discloses wherein the second processor is used to reduce the number of interrupts to the first processor. (col.7, lines 49-53)

As per claim 20, Larky discloses wherein the second processor is used to reduce the frequency of interrupts to the first processor. (col.7, lines 49-53)

As per claim 21, Larky discloses wherein the first processor interfaces the data transfer host system via a standard microprocessor bus. (fig.1, 106)

As per claim 22, Larky discloses wherein a hub (fig.1, 130) is used to provide multiple ports for connecting a plurality of devices. (col.5, lines 16-26)

As per claim 23, Larky discloses wherein the first processor contains a second data transfer driver capable of managing the data transfer, and wherein a data transfer request by the first processor to the second data transfer driver is carried out by the data transfer host system. (col.9, lines 1-25)

As per claim 24, Larky discloses a USB host comprising:

- a first processor implementing a function of a USB system; (col.4, lines 26-44)
- a downstream USB port; (fig.1,106)
- a memory (fig. 1, 122) connected to both the first processor and a second processor external to the USB host via a standard microprocessor bus interface. (fig.2, 118), (col.4, lines 1-25)
- wherein a first area of the memory with first predetermined format is used for a first type of transfer, and a second area of the memory with a second predetermined format is used for a second type of transfer. (col.7, lines 21-67), (col.8, lines 1-18), (col.9, lines 26-35)

As per claim 25, Larky discloses a hub (fig.1, 130) connected to the downstream USB port so that multiple devices can be connected to the system.

As per claims 27 and 55, Larky discloses a third area of the memory with a third predetermined format is used for reporting device connection, enumeration and removal to the second processor. (col.4, lines 26-44), (col.5, lines 15-48)

As per claim 28, Larky discloses third area is in a part of the memory that is read-only to the second processor. (fig.1, 122)

As per claims 29 and 56, Larky discloses a fourth area of the memory with a fourth predetermined format is used for sending a USB command to the said USB host. (col.6, lines 5-25)

As per claims 30 and 57, Larky discloses the starting address of each memory area for a transfer is used to identify the transfer. (col.8, lines 19-67)

As per claim 31, Larky discloses the second processor allocates the size of a memory area for a transfer to fit the need of the transfer. (col.8, lines 19-67), (col.9, lines 1-25)

As per claim 32, Larky discloses the second processor allocates the number of the said areas to fit the need of a transfer. (col.8, lines 19-67)

As per claim 38, Larky discloses second processor writes a transfer request in a said area in the memory and notifies the first processor with an interrupt signal. (col.8, lines 51-67)

As per claim 39, Larky discloses the first processor writes the status or data of a transfer into a said area in the memory and notifies the said second processor with an interrupt signal. (col.8, lines 51-67)



As per claim 40, Larky discloses a single format of the said second area implements isochronous, interrupt and bulk transfers. (col.8, lines 51-67)

As per claim 41, Larky discloses a USB host comprising:

- a first processor implementing a function of a USB system; (col.4, lines 22-44)
- a downstream USB port; (fig.1, 106)
- a memory accessible (fig. 1, 122) by both the first processor (fig.1, 126) and second processor(fig.1, 120) external to the said USB host, via a standard microprocessor bus interface. (fig.1 118)
- wherein the second processor initiates a USB transfer by writing a transfer request, and data to be transferred into a first area in the memory, and wherein the first processor carries out the transfer and writes the status of the transfer, and any transferred data into a second area in the memory. (col.7, lines 21-67), (col.8, lines 1-18), (col.9, lines 26-35)

As per claim 42, Larky discloses a hub (fig.1, 130) is connected to the downstream USB port so that multiple devices can be connected to the system.

As per claim 46, Larky discloses the second processor runs an operating system that supports a USB driver and wherein a USB transfer initiated request by the second processor to USB driver is carried out by the USB host. (col.4, lines 1-44)

As per claim 47, Larky discloses wherein the USB host transmits an interrupt signal to the second processor to notify the second processor that the transfer has been completed. (col.9, lines 9-14)

As per claim 48, Larky discloses wherein the second processor transmits an interrupt signal to the USB host to notify the USB host that the second processor has initiated a USB transfer.(col.8, lines 51-67) , (col.9, lines 4-14)

As per claim 49, Larky discloses a USB host system operationally coupled to a computing system with a main processor, comprising a processor (fig.1,120) that interfaces with the main processor (fig.1, 116) via a communication area using predefined records in pre-defined formats, wherein the main processor writes a data transfer request in the communication area in a pre-defined record format and the processor schedules and completes the request via a USB host controller. (col.4, lines 26-44), and

wherein the main processor and the processor are operationally coupled via a standard microprocessor bus interface. (fig.1, 118)

As per claim 50, Larky discloses the processor returns status (fig.5, 506) and data to the main processor based on a request from the main processor. (col.9, lines 26-47)

As per claim 51, Larky discloses the communication area is a dual port memory (fig.6, 608) with plural registers.

As per claim 52, Larky discloses the main processor may poll the communication area and/or be notified by an interrupt generated by the processor. (col.8, lines 51-64)

As per claim 53, Larky discloses the communication area is divided into a first area with a predefined format for a first type of transfer, and a second area with a

second predefined format for a second type of transfer. (col.4, lines 26-44),  
(col.8, lines 18-64)

As per claim 58, the main processor may allocate the dual port memory areas for  
a transfer. (col.9, lines 26-48)

As per claim 59, the dual port memory may implement isochronous, interrupt and  
/or bulk transfers. (col.8, lines 51-67)

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all  
obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

g. As per claims 33, 35-37 and 44-45 Larky fails to disclose starting address are  
being different, same or fixed location of memory, Larky does teach the  
configuration data load into the device RAM. (col.8, lines 57-60)

Examiner take Official Notice of the starting address being located in a  
different part of memory is well known in the art. It would have been obvious to  
one having ordinary skills in the art at the time the invention was made to  
incorporate the starting address being located in a different part of memory into  
Larky's method so as to increase the flexibility of the system.

***Response to Argument***

4. Applicant's arguments filed 12/15/03 have been considered but are not place  
application in condition for allowance.

a. In response to applicant's argument that Larky does not disclose a USB host system. As Larky notes in fig.1, 104 (col.3, line 48-col.5, line 44) Examiner further cites for clarification Larky discloses device controller 104 is equivalent as usb host system (fig.3, 300); device controller 104 include a device cpu, memory and usb dedicated circuit 124 which is configured to allow a host computer to recognize and enumerate a device.

b. In response to applicant's argument that Larky's processor 126 is not a part of a USB host system. As Larky notes in col.4, lines 26-44, controller 126 in USB dedicated circuit 14 allows the device controller 104(USB host system) to respond to the host computer 102.

c. In response to applicant's argument that Larky does not disclose a USB host system with a direct access between the communication area. As Larky notes in col.4, lines 26-44, controller 126 in USB dedicated circuit 124 allows the device controller 104 to respond to the host computer 102 independently from device cpu 104 and main processor 116. Therefore, it is clear that Larky is analogous art thus properly stated in the rejection of record.

### **Conclusion**


5. *Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kim Huynh whose telephone number is (703)305-5384 or via e-mail addressed to [kim.huynh3@uspto.gov]. The examiner can normally be reached on M-F 8:30AM- 6:30PM.*

*If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Rinehart can be reached on (703) 305-4815 or via e-mail addressed to [mark.rinehart@uspto.gov]. The*

Art Unit: 2112

*fax phone numbers for the organization where this application or proceeding is assigned are (703)872-9306 for regular communications and After Final communications.*

*Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)306-5631.*



Kim Huynh

Feb. 21, 2004

Khanh Dang  
Primary Examiner